

KEMA d.o.o.. Puconci 393, 9201 Puconci, Slovenija T: +386 (0)2 545 95 00, F: +386 (0)2 545 95 10 Technical consulting: +386 (0)2 545 95 28, +386 (0)2 545 95 73

I: www.kema-on.net | E: info@kema.si

Label: VI Ston 94 Issue: June 2009 Revision: April 2015

## **EU-SAFETY DATA SHEET**

in accordance with Regulation (EC) no. 1272/2008

## HIDROSTOP 94

## CHAPTER 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **HIDROSTOP 94** 

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: 1K cementitius waterproof coating

1.3 Details of the supplier of the safety

data sheet:

E-mail address of person responsible for Safety Data Sheets:

KEMA PUCONCI, Kremen in Specialni Gradbeni Materiali, d.o.o.

Puconci 109, 9201 Puconci

T: +386 (0)2 545 95 00 | F: +386 (0)2 545 95 10

komplast@kema.si

1.4 Emergency telephone number: +386 (0)2 545 95 34

### **CHAPTER 2: Hazard identification**

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) no. 1272/2008:

Xi Irritant Risk of:

Risk phrases (Warning phrases): R36/37/38 Irritating to eyes, respiratory system and skin.

R43 May cause sensitisation by skin contact.

#### 2.2 Label elements

#### Classification in accordance with Council Regulation (EC) no. 1907/2006

Indication of danger: Xi IRRITATING



Signal word: R36/37/38 Irritating to eyes, respiratory system and skin.

R43 May cause sensitisation by skin contact.

S2 Keep out of the reach of children. Hazard statements:

S26 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

S36/37 Wear suitable protective clothing and gloves.

Precautionary statements: Portland cement

## **CHAPTER 3: Composition/information on ingredients**

Chemical characterization:

Description: Mixture.

Dangerous components:

Component 1

Component 2 Portland cement 25-50% Quartz (SiO2) 50-70 % CAS number: 65997-15-1 CAS number: 14808-60-7 ES-Number: 266-043-4 ES-Number: 238-878-4

Dangers: Xi / R36/37/38 - 43



**KEMA** d.o.o., Puconci 393, 9201 Puconci, Slovenija T: +386 (0)2 545 95 00, F: +386 (0)2 545 95 10 Technical consulting: +386 (0)2 545 95 28, +386 (0)2 545 95 73 I: www.kema-on.net | E: info@kema.si Label: VL\_Stop\_94 Issue: June 2009 Revision: April 2015 ID: 45

**EU-SAFETY DATA SHEET** 

in accordance with Regulation (EC) no. 1272/2008

# **HIDROSTOP 94**

Classification according to EC Directive 1272/2008 (CLP): Skin Irrit. 2; H315 / Skin Sens. 1; H317 / STOT SE 3; H335 / Eye Irrit. 2; H319

Additional information: The full text for all R-, H- phrases are describe in chapter 16.

## **CHAPTER 4: First aid measures**

#### 4.1 Description of first aid measures

General information:

After inhalation: Move to fresh air and seek medical service.

After skin contact: Immediately wash the skin with soap and water. Get medical attention if

irritation persists after washing.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes

holdingeyelids apart. Subsequently consult a doctor.

After swallowing:

Do not induce vomiting. Immediately rinse mouth and get medical attention immediately and present declaration of the product.

4.2 Most important symptoms and effects, both acute and delayed:

4.3 Indication of any immediate medical attention and special treatment needed:

## **CHAPTER 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media: This product is not combustible. Use fire extinguishing methods suitable

to surrounding conditions.

For safety reasons unsuitable

extinguishing agents:

5.2 Special hazards arising from the

substance or mixture:

**5.3 Advice for firefighters**Special protective equipment:

Additional information:

### **CHAPTER 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures:**Try to avoid dust and contact to skin (protective clothing and gloves), eyes (safety goggles) and respiratory organs (anty – dust mask).Ensure

adequate ventilation.

**6.2 Environment protections:**Do not allow uncontrolled contact with water. Avoid uncontrolled

disposal, after contact with water, into canalization.

**6.3 Methods and materials for containment and cleaning up:**Mechanical, dry cleaning up.

Additional information: /

**6.4 Reference to other sections:**See section 8 for information on personal protection equipment.

## **CHAPTER 7: Handling and storage**

### 7.1 Precautions for safe handling

Tips for safe handling:

Avoid contact with the eyes and skin. Prevent formation of dust. Ensure

good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

/



KEMA d.o.o..

Puconci 393, 9201 Puconci, Slovenija T: +386 (0)2 545 95 00, F: +386 (0)2 545 95 10 Technical consulting: +386 (0)2 545 95 28, +386 (0)2 545 95 73

I: www.kema-on.net | E: info@kema.si

VL\_Stop\_94 Label: Issue: June 2009 Revision: April 2015

## **EU-SAFETY DATA SHEET**

in accordance with Regulation (EC) no. 1272/2008

## **HIDROSTOP 94**

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms

and receptacles:

Information about storage in one

common storage facility: Storage class:

13

Informations are not available. 7.3 Specific end use(s):

### **CHAPTER 8: Exposure controls/personall protection**

Store only in the original packaging.

Keep away from foodstuffs, beverages and food.

**Limit values** 

#### 8.1 Control parameters

### 8.1.1 Ingredients with limit values that require monitoring at the workplace

Substance or mixture

65997-15-1 Portland cement 5 mg/m3 - inhalable -TRGS 900 14808-60-7 Quartz (SiO2) 0,15 mg/m3 - respirable

8.2 Exposure control

Additional information about design of

technical facilities:

Eye and face protection:

Ensure good ventilation.

Individual protection measures, for

example. personal protective equipment:

General protection and hygiene level:

Avoid contact with the eyes and skin. Wash hands before breaks and

at the end of work. Wear safety goggles with side protection if dust develops (EN 166).

Protection for skin: Protective work clothing.

Protection of hands: Protective gloves (EN374).

Respiration protection: Wear dust mask FFP2 if dust forms (EN 143).

Limitation and Control of environmental

exposure:

# **CHAPTER 9: Physical and chemical attributes**

### 9.1 Information on basic physical and chemical properties

Form: Powder Color: Gray

Odour: Without specific smell

Odour limits:

pH-value (20°C): 11 – 13,5 at 20°C (fully diluted)

Melting point: Boiling point: Flash point: Rang evaporation: Flammability (solids / gas): Upper / lower flammability or explosive limits

Lower: Upper: Vapor pressure at 50°C: Vapor density:

1,22 kg/dm<sup>3</sup> Pour weight: Solubility in / Miscibility with water : Mixable



KEMA d.o.o., Puconci 393, 9201 Puconci, Slovenija T: +386 (0)2 545 95 00, F: +386 (0)2 545 95 10 Technical consulting: +386 (0)2 545 95 28, +386 (0)2 545 95 73 I: www.kema-on.net | E: info@kema.si

Label: VL\_Stop\_94 Issue: June 2009 Revision: April 2015

# **EU-SAFETY DATA SHEET**

in accordance with Regulation (EC) no. 1272/2008

# **HIDROSTOP 94**

Partition coefficient: n-Octanol/Water:	/
Self-inflammability:	1
Termal decompositio:	/
Viscosity (dynamic) at 25°C:	1
Explosive properties:	Product is not explosive.
Oxidising properties:	1
Dry substance:	1

### 9.2 Other information:

CHAPTER	10:	Stability	and	reactivity
	1			

10.1 Reactivity: 10.2 Chemical stability: 10.3 Possibility of hazardous reactions: 10.4 Conditions to avoid: Prevent uncontrolled access of water and moisture.

10.5 Incompatible materials: 10.6 Hazardous decomposition products:

## **CHAPTER 11: Toxicological information**

### 11.1 Information on toxicological effects:

#### **Acute** toxicity

Inhalation toxicity: Oral toxicity: Dermal toxicity:

Irritant to skin and mucous membranes. Skin corrosion/irritation:

Serious eye damage/irritation: Serious eye irritation.

May cause sensitisation by skin contact. Skin senzitization:

Dusts could cause irritation to the upper respiratory system. Respiratory sensation:

Specific target organ toxicity(STOT) - single

exposure:

Specific target organ toxicity (STOT) repeated exposure : CMR assessments: Carcinogenicity: Mutagenicity: Reproductive toxicity:

Other Information: May cause sensitisation by skin contact.

## **CHAPTER 12: Ecological information**

12.1 Toxicity:	/
Aquatic toxicity:	1
General Information:	/
12.2 Persistence and degradability:	/
General Information:	/
Oxygen demand:	/
12.3 Bioaccumulative potential:	1
Bioaccumulation factor (BCF):	1



**KEMA** d.o.o., Puconci 393, 9201 Puconci, Slovenija T: +386 (0)2 545 95 00, F: +386 (0)2 545 95 10 Technical consulting: +386 (0)2 545 95 28, +386 (0)2 545 95 73

I: www.kema-on.net | E: info@kema.si

Label: VL\_Stop\_94 Issue: June 2009 Revision: April 2015

## **EU-SAFETY DATA SHEET**

in accordance with Regulation (EC) no. 1272/2008

# **HIDROSTOP 94**

12.4 Mobility in soil: /
12.5 Result of PBT and vPvB assessment: /
12.6 Other adverse effects: /

General Information:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Alkaline reaktion with water.

### **CHAPTER 13: Disposal considerations**

#### 13.1 Waste treatment methods

**Product:** Do not disposed together with household garbage. Disposal must be

made according to official regulations.

Recommendations: EU waste no.:

10 13 11 wastes from cement-based composite materials other than

those mentioned in 10 13 09 and 10 13 10 10 13 14 waste concrete and concrete sludge

17 01 07 mixtures of concrete, bricks, tiles and ceramics other than

those mentioned in 17 01 06

Packaging:

Recommendations: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

EU waste no.:

15 01 01 paper and cardboard packaging

# **CHAPTER 14: Transport information**

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN Number	1	1	1	1
14.2 UN proper shipping name				
14.3 Class				
14.4 Packing group				
14.5 Environmental hazards				
14.6 Special precautions for users				
14.7 Further regulations, limitations and legal requirements				

14.8 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:

## **CHAPTER 15: Regulatory information**

15 1	Safety	health and	environmental	regulations/le	enislation	specific fo	or the substance	or mixture
1 O. I	Saietv.	. IItalili allu	environneniai	i euulalions/ii	euisialiuli :	SDECIIIC IC	n ille substance	OI IIIIXLUI E

Storage class: 13
Volatile organic compounds ,VOC (g/l): /

Water hazard class (WHC):

1 - slightly hazardous for water.

Further regulations, limitations and Legal

Affairs:



KEMA d.o.o., Puconci 393, 9201 Puconci, Slovenija T: +386 (0)2 545 95 00, F: +386 (0)2 545 95 10 Technical consulting: +386 (0)2 545 95 28, +386 (0)2 545 95 73 I: www.kema-on.net I E: info@kema.si Label: VL\_Stop\_94 Issue: June 2009 Revision: April 2015

## **EU-SAFETY DATA SHEET**

in accordance with Regulation (EC) no. 1272/2008

# **HIDROSTOP 94**

Chemical Safety Assessment: National regulations:

A Chemical Safety Assessment has not been carried out.

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006
- Chemicals Act (official gazette, number 110/2003, 47/2004, 16/2008)
- Rules on the classification, packaging and labelling of dangerous substances (official gazette, number 35/2005, 54/2007)
- Rules on the classification, packaging and labelling of dangerous preparations (official gazette, number 67/2005, 137/2006)
- Decree on waste management (official gazette, number 34/2008)
- Decree on the management of packaging and packaging waste (official gazette, number 84/2006, 106/2006, 110/2007)
- Decision on the publishing of the Annexes A and B to the European Agreement concerning the International Carriage of Dangerous Goods by Road (official gazette, number 9/2007)
- Rules on the protection of workers from risks related to exposure to chemical substances at work (official gazette, number 100/2001, 39/2005, 53/2007)

## **CHAPTER 16: Other Information**

Hazard statements: R 36/37/38 – Irritating to eyes, respiratory system and skin.

Regulation (CLP/GHS): H315 Causes skin irritation

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

R43 May cause sensitization by skin contact.

H335 May cause respiratory irritation

Reason for change: General revision.

Other information:

The above information is based on our knowledge and experience and refer to the product in the state in what is delivered. The purpose of the information is to describe our product in relation to the safety requirements. Entries do not represent assurance the properties of the product in legal terms. Responsibility of the customer's is to know and take into account the legal provisions in relation to transport and use of the product. The characteristics of the product described in the technical information.